



# KlimaSklep

tel.(0-91) 432-43-42 e-mail: sklep@klimasklep.pl



Westinghouse

## Ceiling Fan Catalogue 2013



# Contents



**Westinghouse – Solutions you can count on** ..... 2

**Ceiling Fan for every room (Select the right size)**..... 4

**Summer and Winter Operation of a Ceiling Fan**..... 6

## Ceiling Fans

### Premium

Solana ..... 9  
Lenerco ..... 10-11

### Modern

Jet I .....13  
Jet Plus .....13  
Havanna .....14  
Trigona.....14  
Celestia.....15  
Celestia II.....15  
Bendan Models .....16  
Sydney Models .....17  
Cumulus .....18  
Wave Form.....19  
Arius .....19  
Flora Royal .....20  
Audubon .....20  
Airplane Models .....21  
Helix Fusion .....22  
Hercules .....22  
Wengue.....23  
Alloy.....23

### Classic

Cyclone .....25  
Kingston.....25  
Pearl .....26  
Princess Euro .....26  
Comet Models.....27

### Traditional

Monarch Trio .....29  
Comet Tiffany.....29  
Jasmine .....30  
Princess Radiance .....30  
Everett.....31  
Princess Trio Models .....32

### Basic

Vegas Models .....34  
Portland Ambiance .....35  
Turbo Swirl .....36  
Hayden.....36  
Turbo II .....37

### Industrial

Industrial Models .....39-41

### Accessories for Ceiling Fans

Downrods .....42  
Remote & Wall Controls .....43

**Ceiling Fan Specifications**.....44

**Index**.....48

# Solutions you can count on



Westinghouse

## Solutions you can count on

As a leader in the ceiling fan industry, Westinghouse is dedicated to making comfort and convenience a priority in the products we develop. To meet the specific demands of today's global marketplace, we offer contemporary and traditional product designs that have resilience and character. Whether you are looking for fashion-forward designs or reliable quality products, we have your solutions right here.

Since 125 years, people all over the world have trusted Westinghouse to provide high-quality, reliable products for their homes and businesses. We continue that tradition today with our extensive assortment of ceiling fans.

Customers in 128 countries choose Westinghouse for quality products and dependable customer service.



## Westinghouse – A trusted brand since 125 years!

George Westinghouse was a renowned inventor long before his name became a brand. He is the most productive inventor on record, credited with over 361 patents — many of them “firsts” that changed the way the world lives.

George Westinghouse’s spirit of innovation and commitment to improving quality of life is alive and flourishing at Westinghouse. Our solutions are as effortless as redesigning a store display to make products easier to find, or as revolutionary as reconfiguring the design of a ceiling fan to make it simpler and safer to install.

Westinghouse ceiling fans are engineered and tested to meet or exceed high-quality standards to light your home, office or business.

Our ceiling fans reveal the essence of today’s lifestyle trends. While you enjoy our newest editions, we’re already busy planning for the future by exploring innovative options and new technologies that maximize form and function.

**BRAND**

**QUALITY**

**DESIGN  
&  
COMFORT**

**SERVICE**



# Ceiling fans for every room



## Low ceilings

Install a hugger ceiling fan or ceiling fans without a down rod in rooms with low ceilings.



## Standard ceilings

Install ceiling fans with or without a down rod in rooms with standard ceilings. See page 42 to view our full assortment of extension down rods.

### SELECTING THE RIGHT SIZE CEILING FAN FOR EVERY ROOM IN YOUR HOME

**Maximize air flow by installing an appropriately sized ceiling fan for your room:**

|                        |            |                                                      |
|------------------------|------------|------------------------------------------------------|
| For rooms up to:       | 12 qm      | Use 30" - 36" ceiling fans.                          |
| For rooms up to:       | 15 qm      | Use 42" ceiling fans.                                |
| For rooms up to:       | 20 qm      | Use 44" - 48" ceiling fans.                          |
| For rooms up to:       | 25 - 30 qm | Use 52" ceiling fans and larger.                     |
| For rooms bigger than: | 30 qm      | The use of more than one ceiling fan is recommended. |

Room size and ceiling height are important issues when selecting your ceiling fan. Be sure to choose a ceiling fan that best suits your home.



## High ceilings

Install ceiling fans with extension down rods in rooms with high and sloped ceilings.



## Sloped ceilings

See page 42 for a full assortment of extension down rods.

Fashionable, high quality ceiling fans and light kits add comfort, color, and complementary style to any room. A trusted name for over 120 years, Westinghouse guarantees the construction of its ceiling fan motors with 10 year warranty. You can be sure if it's Westinghouse.

# Summer & Winter Operation of a Ceiling Fan

SUMMER & WINTER



Ceiling area:  
 $30^{\circ}\text{C} \rightarrow 25^{\circ}\text{C}$

You want a  
pleasant room  
climate?

Center of the room:  
 $29^{\circ}\text{C} \rightarrow 25^{\circ}\text{C}$

Use a Westinghouse  
ceiling fan in your home,  
which creates a cool  
climate and temperature  
during summertime!

Bottom room area:  
 $28^{\circ}\text{C} \rightarrow 25^{\circ}\text{C}$

## Summer Operation

For year-round comfort and maximum energy savings, Westinghouse ceiling fans include a reversible switch that allows the ceiling fans to be used during cool or warm weather.

In the summer, keep your home cool by running your ceiling fan counterclockwise.



# Year- Round Comfort & Efficiency



Ceiling area:  
 $26^{\circ}\text{C} \rightarrow 24^{\circ}\text{C}$

Keep your home warm  
in the winter & save  
energy!

Center of the room:  
 $24^{\circ}\text{C} \rightarrow 25^{\circ}\text{C}$

The ceiling fan creates a  
warm and pleasant room  
climate in your home  
which saves up to  
30% energy costs.

Bottom room area:  
 $22^{\circ}\text{C} \rightarrow 24^{\circ}\text{C}$

## Winter Operation

In the winter, run your ceiling fan clockwise to re-circulate warm air from the ceiling, eliminating cold spots and drafts.





Unique in beauty and design, our Premium ceiling fans combine high fashion with high quality.

# Premium





PREMIUM

## Solana

72161  
48"/122 cm

Brushed nickel fan finish

Wengue blades

Single light fixture with opal frosted glass

2 x 40 W, E 14 (not included)

Includes remote control and reverse switch





*Lenerco*

**72599**

**52"/132 cm**

*Energy Saving Ceiling Fan*

*Chrome Finish*

*Silver/graphite blades*

*2 x 13 W, E 27, CFL (not included)*

*Includes remote control*

*and reverse switch*






- 65% less Energy Consumption
- Longlasting Product Lifetime
- Higher Speed Effort
- 6 Speed Options
- Virtually Silent & steady RPM
- Smaller Fan Designs

## What is your advantage of a DC-Motor ceiling fan?

The Lenerco Fan Motor reduces more than 65% energy consumption compared to a standard AC Fan Motor. On low speed, the energy consumption is similar to a 4 Watt LED light bulb.

Long-lasting DC motor fans utilize a brushless motor and are able to reach the same RPM as an AC fan but with lower energy consumption (lower wattage). The Lenerco DC motor fan offer a higher torque due to the larger diameter of the inside magnetic field. The compact motor allows for a smaller fan design that meets a wide variety of room applications. Smaller fans are more versatile and meet the needs of today's home owner.






The exquisitely executed sleek designs of our Modern collection capture the essence of today's lifestyle trends through cool colour tones, chic finishes, and elegant styles.

## Modern



## Jet I



**72289**

**42"/105 cm**

*Brushed nickel fan finish*

*Wengue/silver blades*

*Remote/Wall control adaptable*

*Including reverse switch*

## Jet Plus



**72290**

**42"/105 cm**

*Brushed nickel fan finish*

*Wengue/silver blades*

*3 Spot light fixture*

*3 x 40 W, E14 R50 (not included)*

*Includes remote control and reverse switch*





## Havanna

**72546**

**52"/132 cm**

*Brushed aluminum fan finish*

*Silver/graphite blades*

*Single disc light fixture with*

*opal frosted glass*

*1 x 80 W, R7s (included)*

*Includes remote control and  
reverse switch*



## Trigona

**72528**

**48"/122 cm**

*Silver/black fan finish*

*Silver/black blades*

*Single drum light fixture*

*2 x 11W, E 27, CFL 3U type (included)*

*Includes remote control and  
reverse switch*



## Celestia

**72530**

**44"/112 cm**

*Chrome fan finish*

*Wengue blades*

*2 x 11W, E 27, CFL 3U type (included)*

*Not adaptable for downrods*

*Includes remote control and  
reverse switch*



## Celestia II

**72505**

**48"/122 cm**

*Brushed aluminum fan finish*

*Graphite blades*

*Single light fixture with opal frosted glass*

*2 x 11W, E 27, CFL (not included)*

*Not adaptable for downrods*

*Includes remote control and  
reverse switch*



## Bendan

**72557**  
**52"/132 cm**

*Satin chrome fan finish  
Wengue blades  
Single disc light fixture  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch*

## Bendan

**72564**  
**52"/132 cm**

*Dark pewter fan finish  
Applewood blades  
Single disc light fixture  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch*

## Bendan

**72220**  
**52"/132 cm**

*Satin Chrome fan finish  
Silver blades  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch*



## Sydney



**78997**

**44"/112 cm**

*Oil-rubbed bronze fan finish*

*Wengue/mahogany blades*

*Remote or wall control adaptable*

*Not adaptable for downrods*

*Including reverse switch*



## Sydney



**78998**

**44"/112 cm**

*Brushed nickel fan finish*

*Applewood/light maple blades*

*Remote or wall control adaptable*

*Not adaptable for downrods*

*Including reverse switch*





## Cumulus



**72598**  
**48"/122 cm**  
 White fan finish  
 White/white washed pine blades  
 1 x 80 W, R7s (included)  
 Includes remote control and  
 reverse switch

## Wave Form

**78155**

**52"/132 cm**

*Titanium fan finish*

*Titanium ABS blades*

*Single light fixture with opal frosted glass*

*1 x 80 W, R7s (included)*

*Not adaptable for downrods*

*Includes remote control and  
reverse switch*



**72559**

**52"/132 cm**

*Chrome fan finish*

*White/black blades*

*5 Light fixture with opal frosted glass*

*5 x 9W, E 14, CFL 3U type (not included)*

*Includes remote control and  
reverse switch*

## Arius







**78788**

**30"/76 cm**

*Satin chrome fan finish*

*Silver/white blades*

*Single light fixture with opal frosted glass*

*1 x 60 W, E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*

*Flora Royal*

*Audubon*



**78525**

**48"/122 cm**

*Brushed nickel fan finish*

*Weathered maple/silver blades*

*3 spotlight fixture*

*3 x 50 W, GU10 (included)*

*Remote/Wall control adaptable*

*Including reverse switch*

**78174**  
**42"/105 cm**

*Silver fan finish  
Silver blades  
Remote/Wall control adaptable  
Including reverse switch*



*Airplane*



*Airplane II*

**78655**  
**42"/105 cm**

*Brushed nickel fan finish  
Weathered maple/beech blades  
Single light fixture  
1 x 33W, G9 lamp (included)  
Remote/Wall control adaptable  
Including reverse switch*





## Helix Fusion

**78753**

**52"/132 cm**

*Chrome fan finish*

*White/black blades*

*4 x 33W, G9 (included)*

*Remote/Wall control adaptable*

*Including reverse switch*



## Hercules

**78545**

**52"/132 cm**

*Brushed nickel fan finish*

*Weathered maple/beech blades*

*Single disc light fixture*

*1 x 80 W, R7s (included)*

*Remote/Wall control adaptable*

*Including reverse switch*



## Wengue

**78763**

**30"/76 cm**

*Chrome fan finish*

*Wengue/beechn blades*

*Single light fixture with opal frosted glass*

*1 x 80 W, R7s (included)*

*Remote/Wall control adaptable*

*Including reverse switch*



MODERN

## Alloy

**78764**

**42"/105 cm**

*Gun metal fan finish*

*Black/graphite blades*

*Single light fixture with opal frosted glass*

*1 x 80 W, R7s (included)*

*Remote/Wall control adaptable*

*Including reverse switch*





Featuring soft and simple colours, the Westinghouse Classic style category represents timeless elegance.

## Classic

## Cyclone



**78370**

**52"/132 cm**

*Brushed steel fan finish  
Black/Black blades with silver stripes  
Remote/Wall control adaptable  
Including reverse switch*

## Kingston



**78065**

**42"/105 cm**

*Brushed aluminum fan finish  
Weathered maple/silver blades  
3 spotlight fixture  
3 x 50 W, GU10 (included)  
Remote/Wall control adaptable  
Including reverse switch*



## Pearl

**78425**

**42"/105 cm**

*Stainless steel fan finish*


*Light maple/white blades*

*3 Spotlight fixture*

*3 x 50 W, GU10 (included)*

*Remote/Wall control adaptable*

*Including reverse switch*



## Princess Euro

**78622**

**42"/105 cm**

*Dark pewter/chrome fan finish*

*Silver/graphite blades*

*3 Spotlight fixture*

*3 x 50 W, GU10 (included)*

*Remote/Wall control adaptable*

*Including reverse switch*







## Comet

**78182**

**52"/132 cm**

*Titanium fan finish*

*Light maple/white blades*

*Disc light fixture with opal frosted glass*

*2 x 40 W, E 14 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*



## Comet

**78017**

**52"/132 cm**

*White fan finish*

*White/Beech blades*

*Disc light fixture with frosted glass*

*2 x 40 W, E 14 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*



Inspired by Baroque architecture and furnishings, traditionally designed ceiling fans are characterized by distinctive details, antique accents, and rich colours, which are still popular today.

## Traditional





## Monarch Trio

**78171**

**52"/132 cm**

*Polished brass fan finish*

*Oak cane/mahogany blades*

*3 Light fixture with frosted glass*

*3 x 60 W, E 14 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*

TRADITIONAL



**72485**

**52"/132 cm**

*Espresso fan finish*

*Wengue/dark cherry blades*

*Single light fixture with Tiffany bowl*

*3 x 60 W, E 14 (not included)*

*Remote/Wall control adaptable*

*No downrods available*

*Including reverse switch*

## Comet Tiffany



## Jasmine



**72368**

**42"/105 cm**

*Dark pewter/chrome fan finish*

*Weathered maple blades*

*Single light fixture with mushroom glass*

*1 x 60 W, E 27 (not included)*

*Includes remote control and*

*reverse switch*

## Princess Radiance II



**72415**

**36"/90 cm**

*Dark pewter/chrome fan finish*

*Wengue/white blades*

*Single light fixture with dome glass*

*1 x 60 W, E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*







*Everett*

**72154**

**52"/132 cm**

*Espresso fan finish*

*Espresso/applewood blades*

*Single light fixture with scavo glass bowl*

*2 x 60 W, E 27, A type (not included)*

*Pull chain or wall control adaptable*

*Including reverse switch*



## Princess Trio

**78199**  
**42"/105 cm**

Polished brass fan finish  
Oak cane/mahogany blades  
3 Light fixture with frosted glass  
3 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
Including reverse switch



## Princess Trio



**78324**  
**42"/105 cm**

White & polished brass fan finish  
White cane/white blades  
3 Light fixture with frosted glass  
3 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
Including reverse switch







Simplicity defines our Basic fan selection. Neutral colours and uncomplicated designs allow these ceiling fans to complement any room and style.

## Basic



# Vegas

**72185**

**42"/105 cm**

*White fan finish*

*White/White washed pine blades*

*Single light fixture with opal glass*

*1 x 60 W E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*



# Vegas

**72272**

**42"/105 cm**

*Brushed aluminum fan finish*


*Light maple/silver blades*

*Single light fixture with opal glass*

*1 x 60 W, E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*





## Portland Ambiance

**78321**

**36"/90 cm**

Chrome fan finish

White/black blades

Single light fixture with mushroom glass

1 x 60 W, E 27 (not included)

Remote/Wall control adaptable

Including reverse switch



BASIC

## Turbo Swirl



**78158**  
**30"/76 cm**

*Titanium fan finish  
Light maple blades  
Single opal frosted disc light fixture  
1 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
Including reverse switch*

## Hayden



**78784**  
**30"/76 cm**

*Chrome fan finish  
Beech/Wengue (MDF) Blades  
1 x 60 W, E 27 (not included)  
Remote/Wall control adaptable  
Including reverse switch*

## Turbo II



BASIC

**78673**

**30"/76 cm**



White fan finish

One blade set in multi colour  
pastell colours, the other set  
in white/washed pine


1 x 60 W, E 14 (not included)

Remote/Wall control adaptable

Including reverse switch







Commercial environments need durable, reliable ceiling fans. Our fans have the quality you want and expect from an international brand.

## Industrial



# Industrial

**72268**

**56"/142 cm**

*White fan finish*

*White (steel) blades*

*Includes wall control and reverse switch*



INDUSTRIAL

**78337**

**48"/122 cm**

*White fan finish*

*White (steel) blades*

*Remote/Wall control adaptable*

*Including reverse switch*



# Industrial



## *Industrial*

**78263**

**48"/122 cm**

*Chrome fan finish*

*Chrome (steel) blades*

*Remote/Wall control adaptable*

*Including reverse switch*





## Industrial

**78623**

**56"/142 cm**

*Espresso fan finish*

*Espresso (steel) blades*

*Includes wall control and reverse switch*

## Industrial

**72501**

**56"/142 cm**

*Silver fan finish*

*Silver (steel) blades*

*Includes wall control and reverse switch*

# Down rods




For optimum performance, ceiling fan blades should be at least 7'/2.4 m from the floor but no higher than 8-9'/2.8 m in order to best cool a room.


For ceilings 9' and higher, an extension down rod is required to bring the ceiling fan down to the proper height above the floor.



Dark Pewter



Brushed Nickel



Satin Chrome



Titanium



Polished Brass



Brushed Aluminium



Chrome



Satin Brass



Antique Brass



White



Silver

| Finish           | Length      | Item  |
|------------------|-------------|-------|
| Brushed aluminum | 30,5 cm/12" | 78867 |
| Brushed aluminum | 46 cm//18"  | 78868 |
| Antique brass    | 30,5 cm/12" | 78864 |
| Antique brass    | 46 cm//18"  | 78865 |
| Brushed nickel   | 30,5 cm/12" | 65649 |
| Brushed nickel   | 46 cm//18"  | 65650 |
| Chrome           | 30,5 cm/12" | 78885 |
| Chrome           | 46 cm//18"  | 78886 |
| Dark-pewter      | 30,5 cm/12" | 65763 |
| Dark-pewter      | 46 cm//18"  | 65764 |
| Polished brass   | 30,5 cm/12" | 78882 |
| Polished brass   | 46 cm//18"  | 78883 |
| Satin brass      | 30,5 cm/12" | 78888 |
| Satin brass      | 46 cm//18"  | 78889 |
| Satin chrome     | 30,5 cm/12" | 65646 |
| Satin chrome     | 46 cm//18"  | 65647 |
| Silver           | 30,5 cm/12" | 65643 |
| Silver           | 46 cm//18"  | 65644 |
| Titanium         | 30,5 cm/12" | 78870 |
| Titanium         | 46 cm//18"  | 78871 |
| White            | 30,5 cm/12" | 78876 |
| White            | 46 cm//18"  | 78877 |

# Remote & Wall Controls



**78792 (Display box with 8 pieces)**  
**78095 (Single)**

## Infra-Red Remote Control

- Suitable for use with all Westinghouse ceiling fans (except Hugger style)
- 3-speed and off control for fan
- On/off control for light
- With light dimmer



**72266 (Display box with 8 pieces)**  
**Radio Frequency Remote Control**

- Suitable for use with all Westinghouse ceiling fans (except Hugger style)
- 3-speed and off control for fan
- On/off control for light
- With light dimmer

**78801**  
**Wall Control**

- Suitable for use with all Westinghouse ceiling fans
- 4-Speed and off control for fan
- On/off control for light



**78800**  
**Wall Control**

- Suitable for use with all Westinghouse ceiling fans
- 4-Speed and off control for fan




# Ceiling Fan Specifications

## Option

| Model | Name                 | Diameter/Size | Fan Control             | Remote Control | Wall Control | Winter Operation | Blade Pitch | Motor Size    | Wattage                |
|-------|----------------------|---------------|-------------------------|----------------|--------------|------------------|-------------|---------------|------------------------|
| 72154 | Everett              | 52"/132 cm    | Pull Chain              | /              | X            | X                | 11°         | 153 x 15 mm   | 60/46/39               |
| 72161 | Solana               | 48"/122 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 17 mm   | 47.1/32.2/13.6         |
| 72185 | Vegas                | 42"/105 cm    | Pull Chain              | X              | X            | X                | 11°         | 153 x 9 mm    | 47.4/39.6/37           |
| 72220 | Bendan               | 52"/132 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 60/35/20               |
| 72268 | Industrial           | 56"/142 cm    | Wall Control Included   | X              | X            | X                | 8°          | 172 x 12 mm   | 63/40/23/10            |
| 72272 | Vegas                | 42"/105 cm    | Pull Chain              | X              | X            | X                | 11°         | 153 x 9 mm    | 47.4/39.6/37           |
| 72289 | Jet I                | 42"/105 cm    | Pull Chain              | X              | X            | X                | 14°         | 153 x 12 mm   | 47.4/33.8/30.0         |
| 72290 | Jet Plus             | 42"/105 cm    | Remote Control Included | X              | X            | X                | 14°         | 153 x 12 mm   | 40/34/32               |
| 72368 | Jasmine              | 42"/105 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 12 mm   | 54/22/10               |
| 72415 | Princess Radiance II | 36"/90 cm     | Pull Chain              | X              | X            | X                | 18°         | 153 x 12 mm   | 43.5/36.2/33.8         |
| 72485 | Comet Tiffany        | 52"/132 cm    | Pull Chain              | X              | X            | X                | 12°         | 153 x 15 mm   | 63/42/28               |
| 72501 | Industrial           | 56"/142 cm    | Wall Control Included   | X              | X            | X                | 8,5°        | 153 x 17 mm   | 61.8/51.1/26.6/11.0    |
| 72505 | Celestia II          | 48"/122 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 50.2/25.6/12           |
| 72528 | Trigona              | 48"/122 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 55/34/20               |
| 72530 | Celestia             | 44"/112 cm    | Remote Control Included | X              | /            | X                | 12°         | 153 x 12 mm   | 51/33/19               |
| 72546 | Havanna              | 52"/132 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 45/20/8                |
| 72557 | Bendan               | 52"/132 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 60/35/20               |
| 72559 | Arius                | 52"/132 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 59/35/20               |
| 72564 | Bendan               | 52"/132 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 60/35/20               |
| 72598 | Cumulus              | 48"/122 cm    | Remote Control Included | X              | X            | X                | 12°         | 153 x 15 mm   | 49.1/26.3/13.5         |
| 72599 | Lenerco              | 52"/132 cm    | Remote Control Included | X              | X            | X                | 13°         | 125S DC motor | 4/5.7/9.6/15.5/25.4/34 |
| 78017 | Comet                | 52"/132 cm    | Pull Chain              | X              | X            | X                | 11°         | 153 x 15 mm   | 58/40/26               |
| 78065 | Kingston             | 42"/105 cm    | Pull Chain              | X              | X            | X                | 12°         | 153 x 12 mm   | 55/35/26               |
| 78155 | Wave Form            | 52"/132 cm    | Remote Control Included | X              | X            | X                | 13°         | 153 x 20 mm   | 45.6/23.7/10.2         |
| 78158 | Turbo Swirl          | 30"/76 cm     | Pull Chain              | X              | X            | X                | 18°         | 153 x 12 mm   | 53/37/26               |
| 78171 | Monarch Trio         | 52"/132 cm    | Pull Chain              | X              | X            | X                | 11°         | 153 x 15 mm   | 58/40/26               |
| 78174 | Airplane             | 42"/105 cm    | Pull Chain              | X              | X            | X                | 12°         | 153 x 12 mm   | 48/34/24               |

\* The installation of a remote control or wall control is possible. The mounting of both devices at the same time is not possible.



- A Ceiling to bottom of blade
- B Ceiling to bottom of switch housing
- C Ceiling to bottom of canopy
- D Width of motor housing
- E Width of canopy
- F Ceiling to bottom of light kit


All dimensions in cm

|  | RPM                       | Amps                                        | Net Weight | Installation      | 12"(30,5 cm)/18"<br>(46 cm) downrod possible? | A  | B  | C  | D  | E  | F  |
|--|---------------------------|---------------------------------------------|------------|-------------------|-----------------------------------------------|----|----|----|----|----|----|
|  | 173/135/85                | 0.258/0.208/0.227                           | 5,3 kg     | ***Hugger         | No                                            | 20 | 18 | /  | 29 | /  | 32 |
|  | 225/181/105               | 0.26/0.29/0.25                              | 7,0 kg     | **Downrod only    | No                                            | 30 | 28 | 5  | 19 | 16 | 36 |
|  | 210/162/110               | 0.208/0.184/0.191                           | 4,5 kg     | *Dual Mountsystem | Yes                                           | 26 | 32 | 6  | 17 | 13 | 42 |
|  | 175/124/80                | 0.286/0.289/0.257                           | 7,6 kg     | **Downrod only    | Yes                                           | 26 | 31 | 6  | 26 | 13 | 38 |
|  | 250/210/150/90            | 0.28/0.22/0.17/0.11                         | 6,3 kg     | **Downrod only    | Yes                                           | 35 | /  | 6  | 20 | 13 | 38 |
|  | 210/162/110               | 0.208/0.184/0.191                           | 4,5 kg     | *Dual Mountsystem | Yes                                           | 26 | 32 | 6  | 17 | 13 | 42 |
|  | 218/158/110               | 0.214/0.149/0.150                           | 4,8 kg     | **Downrod only    | Yes                                           | 18 | 29 | 6  | 17 | 13 | /  |
|  | 280/230/185               | 0.18/0.15/0.16                              | 6,4 kg     | **Downrod only    | Yes                                           | 18 | 29 | 6  | 17 | 13 | 37 |
|  | 240/180/120               | 0.24/0.26/0.22                              | 6,4 kg     | **Downrod only    | Yes                                           | 30 | 31 | 6  | 22 | 13 | 42 |
|  | 235/175/125               | 0.19/0.16/0.18                              | 5,3 kg     | *Dual Mountsystem | Yes                                           | 22 | 32 | 6  | 17 | 13 | 44 |
|  | 160/110/65                | 0.28/0.18/0.12                              | 5,7 kg     | *Dual Mountsystem | Yes                                           | 31 | 27 | 6  | 29 | 15 | 38 |
|  | 213/192/138/91            | 0.29/0.26/0.19/0.13                         | 7,3 kg     | **Downrod only    | Yes                                           | 44 | 50 | 6  | 19 | 13 | /  |
|  | 231/149/90                | 0.399/0.365/0.303                           | 8,0 kg     | ***Hugger         | No                                            | 24 | 28 | 12 | 25 | 15 | 35 |
|  | 230/157/76                | 0.25/0.16/0.10                              | 7,5 kg     | **Downrod only    | Yes                                           | 29 | 35 | 6  | 22 | 13 | 38 |
|  | 225/150/65                | 0.23/0.15/0.10                              | 7,2 kg     | **Downrod only    | No                                            | 23 | 27 | 12 | 25 | 15 | 35 |
|  | 165/120/70                | 0.21/0.23/0.18                              | 8,5 kg     | **Downrod only    | Yes                                           | 27 | 30 | 6  | 25 | 13 | 34 |
|  | 175/124/80                | 0.286/0.289/0.257                           | 7,6 kg     | **Downrod only    | Yes                                           | 26 | 31 | 6  | 26 | 13 | 38 |
|  | 178/110/51                | 0.24/0.18/0.01                              | 9,5 kg     | *Dual Mountsystem | No                                            | 27 | 33 | 6  | 28 | 13 | 42 |
|  | 175/124/80                | 0.286/0.289/0.257                           | 7,6 kg     | **Downrod only    | Yes                                           | 26 | 31 | 6  | 26 | 13 | 38 |
|  | 195/145/90                | 0.21/0.15/0.11                              | 9,2 kg     | **Downrod only    | No                                            | 43 | 49 | 7  | 19 | 13 | 54 |
|  | 51/83/115/<br>146/179/199 | 0.04/0.055/0.08/0.112/<br>0.187/0.269/0.028 | 9,0 kg     | **Downrod only    | No                                            | 28 | 32 | 5  | 20 | 15 | 41 |
|  | 180/130/80                | 0.25/0.18/0.12                              | 8,0 kg     | *Dual Mountsystem | Yes                                           | 31 | /  | 6  | 29 | 15 | 38 |
|  | 230/168/110               | 0.23/0.16/0.11                              | 6,2 kg     | *Dual Mountsystem | Yes                                           | 33 | 31 | 6  | 24 | 13 | 38 |
|  | 195/135/81                | 0.2/0.14/0.1                                | 8,6 kg     | **Downrod only    | No                                            | 29 | /  | 6  | 25 | 15 | 36 |
|  | 250/190/130               | 0.23/0.16/0.11                              | 5,7 kg     | *Dual Mountsystem | Yes                                           | 19 | 28 | 6  | 17 | 13 | 38 |
|  | 175/120/75                | 0.25/0.18/0.12                              | 6,5 kg     | *Dual Mountsystem | Yes                                           | 25 | 38 | 6  | 25 | 13 | 40 |
|  | 250/200/150               | 0.21/0.15/0.11                              | 4,2 kg     | *Dual Mountsystem | Yes                                           | 25 | 38 | 6  | 25 | 13 | 40 |

# Ceiling Fan Specifications


| Model | Name              | Diameter/Size | Fan Control           | Remote Control | Wall Control | Winter Operation | Blade Pitch | Motor Size  | Wattage             |
|-------|-------------------|---------------|-----------------------|----------------|--------------|------------------|-------------|-------------|---------------------|
| 78182 | Comet             | 52"/132 cm    | Pull Chain            | X              | X            | X                | 11°         | 153 x 15 mm | 58/40/26            |
| 78199 | Princess Trio     | 42"/105 cm    | Pull Chain            | X              | X            | X                | 11°         | 153 x 10 mm | 45/32/23            |
| 78263 | Industrial        | 48"/122 cm    | Pull Chain            | X              | X            | X                | 11°         | 172 x 10 mm | 55/35/23            |
| 78321 | Portland Ambiance | 36"/90 cm     | Pull Chain            | X              | X            | X                | 11°         | 153 x 10 mm | 44/30/21            |
| 78324 | Princess Trio     | 42"/105 cm    | Pull Chain            | X              | X            | X                | 12°         | 153 x 12 mm | 45/32/23            |
| 78337 | Industrial        | 48"/122 cm    | Pull Chain            | X              | X            | X                | 11°         | 172 x 10 mm | 52/35/25            |
| 78370 | Cyclone           | 52"/132 cm    | Pull Chain            | X              | X            | X                | 12°         | 153 x 15 mm | 58/40/26            |
| 78425 | Pearl             | 42"/105 cm    | Pull Chain            | X              | X            | X                | 12°         | 153 x 12 mm | 55/35/26            |
| 78525 | Audubon           | 48"/122 cm    | Pull Chain            | X              | X            | X                | 12°         | 153 x 15 mm | 52/35/25            |
| 78545 | Hercules          | 52"/132 cm    | Pull Chain            | X              | X            | X                | 12°         | 153 x 15 mm | 60/41/28            |
| 78622 | Princess Euro     | 42"/105 cm    | Pull Chain            | X              | X            | X                | 11°         | 153 x 10 mm | 43/30/28            |
| 78623 | Industrial        | 56"/142 cm    | Wall Control Included | X              | X            | X                | 8,5°        | 153 x 17 mm | 61.8/51.1/26.6/11.0 |
| 78655 | Airplane II       | 42"/105 cm    | Pull Chain            | X              | X            | X                | 11°         | 153 x 12 mm | 43/30/26            |
| 78673 | Turbo II          | 30"/76 cm     | Pull Chain            | X              | X            | X                | 18°         | 153 x 12 mm | 53/37/26            |
| 78753 | Helix Fusion      | 52"/132 cm    | Pull Chain            | X              | X            | X                | 12°         | 153 x 15 mm | 58/40/26            |
| 78763 | Wengue            | 30"/76 cm     | Pull Chain            | X              | X            | X                | 18°         | 153 x 10 mm | 40/34/32            |
| 78764 | Alloy             | 42"/105 cm    | Pull Chain            | X              | X            | X                | 14°         | 153 x 12 mm | 47.4/33.8/30.0      |
| 78784 | Hayden            | 30"/76 cm     | Pull Chain            | X              | X            | X                | 18°         | 153 x 10 mm | 40/34/32            |
| 78788 | Flora Royal       | 30"/76 cm     | Pull Chain            | X              | X            | X                | 18°         | 153 x 12 mm | 54/38/27            |
| 78997 | Sydney            | 44"/112 cm    | Pull Chain            | X              | X            | X                | 13°         | 153 x 10 mm | 42.6/21.3/8.1       |
| 78998 | Sydney            | 44"/112 cm    | Pull Chain            | X              | X            | X                | 13°         | 153 x 10 mm | 42.6/21.3/8.1       |

\* The installation of a remote control or wall control is possible. The mounting of both devices at the same time is not possible.



**All models run summer and winter switch.**





- A Ceiling to bottom of blade
- B Ceiling to bottom of switch housing
- C Ceiling to bottom of canopy
- D Width of motor housing
- E Width of canopy
- F Ceiling to bottom of light kit

All dimensions in cm

|  | RPM            | Amps                | Net Weight | Installation      | 12" (30,5 cm)/18" (46 cm) downrod possible? | A  | B  | C | D  | E  | F  |
|--|----------------|---------------------|------------|-------------------|---------------------------------------------|----|----|---|----|----|----|
|  | 180/130/80     | 0.25/0.18/0.12      | 8,0 kg     | *Dual Mountsystem | Yes                                         | 31 | /  | 6 | 29 | 15 | 38 |
|  | 210/145/85     | 0.2/0.14/0.1        | 4,8 kg     | *Dual Mountsystem | Yes                                         | 23 | 32 | 6 | 17 | 13 | 46 |
|  | 260/195/135    | 0.23/0.19/0.18      | 5,5 kg     | **Downrod only    | Yes                                         | 25 | 36 | 6 | 20 | 13 | /  |
|  | 250/190/110    | 0.19/0.12/0.1       | 4,3 kg     | **Downrod only    | Yes                                         | 15 | 30 | 6 | 15 | 13 | 43 |
|  | 210/145/85     | 0.2/0.14/0.1        | 5,0 kg     | *Dual Mountsystem | Yes                                         | 23 | 32 | 6 | 17 | 13 | 46 |
|  | 240/165/115    | 0.23/0.19/0.18      | 5,5 kg     | **Downrod only    | Yes                                         | 25 | 37 | 6 | 20 | 13 | /  |
|  | 180/130/80     | 0.25/0.18/0.12      | 6,3 kg     | *Dual Mountsystem | Yes                                         | 29 | 34 | 6 | 28 | 13 | /  |
|  | 235/170/110    | 0.23/0.15/0.11      | 4,9 kg     | *Dual Mountsystem | Yes                                         | 28 | 30 | 6 | 19 | 13 | 38 |
|  | 240/165/115    | 0.26/0.18/0.12      | 6,0 kg     | *Dual Mountsystem | Yes                                         | 29 | 30 | 6 | 22 | 13 | 39 |
|  | 170/125/75     | 0.26/0.18/0.12      | 8,1 kg     | *Dual Mountsystem | Yes                                         | 34 | /  | 6 | 27 | 13 | 41 |
|  | 220/150/85     | 0.2/0.14/0.1        | 5,0 kg     | *Dual Mountsystem | Yes                                         | 26 | 31 | 6 | 17 | 13 | 40 |
|  | 213/192/138/91 | 0.29/0.26/0.19/0.13 | 7,3 kg     | **Downrod only    | Yes                                         | 44 | 50 | 6 | 19 | 13 | /  |
|  | 200/145/85     | 0.19/0.13/0.09      | 5,2 kg     | *Dual Mountsystem | Yes                                         | 28 | 34 | 6 | 25 | 13 | 41 |
|  | 250/190/130    | 0.23/0.16/0.11      | 6,5 kg     | *Dual Mountsystem | Yes                                         | 19 | 28 | 6 | 17 | 13 | 38 |
|  | 175/125/80     | 0.25/0.18/0.12      | 7,7 kg     | *Dual Mountsystem | Yes                                         | 26 | 30 | 6 | 27 | 13 | 44 |
|  | 280/230/185    | 0.18/0.15/0.16      | 5,45 kg    | **Downrod only    | Yes                                         | 23 | 26 | 6 | 17 | 13 | 31 |
|  | 218/158/110    | 0.214/0.149/0.150   | 6,5 kg     | **Downrod only    | Yes                                         | 18 | 28 | 6 | 17 | 13 | 30 |
|  | 280/230/185    | 0.18/0.15/0.16      | 4,4 kg     | **Downrod only    | Yes                                         | 23 | 26 | 6 | 17 | 13 | 29 |
|  | 240/180/120    | 0.23/0.17/0.12      | 5,3 kg     | *Dual Mountsystem | Yes                                         | 22 | /  | 6 | 17 | 13 | 38 |
|  | 210/162/93     | 0.19/0.13/0.08      | 7,1 kg     | *Dual Mountsystem | No                                          | 29 | 33 | 6 | 17 | 13 | /  |
|  | 210/162/93     | 0.19/0.13/0.08      | 7,1 kg     | *Dual Mountsystem | No                                          | 29 | 33 | 6 | 17 | 13 | /  |

#### \*Dual Mount System:

These versatile ceiling fans may be installed with or without the extension down rods which are included in the packaging. This flexibility allows you to install the fan either close to the ceiling or at a lower level in rooms with higher ceilings.

#### \*\* Downrod only:

Down rod ceiling fans must be installed with the down rod which is included in the packaging. You may replace the down rod with ones featuring a length between 12"/30,5 cm or 18"/46 cm. The option for a 12" or 18" downrod installation varies for each model!

#### \*\*\*Hugger:

Specially designed for rooms with lower ceilings, hugger fans can not be installed with a down rod.

# Index

## Ceiling Fans

|       |                            |    |
|-------|----------------------------|----|
| 72154 | Everett.....               | 31 |
| 72161 | Solana .....               | 9  |
| 72185 | Vegas .....                | 34 |
| 72220 | Bendan.....                | 16 |
| 72268 | Industrial.....            | 39 |
| 72272 | Vegas .....                | 34 |
| 72289 | Jet I .....                | 13 |
| 72290 | Jet Plus .....             | 13 |
| 72368 | Jasmine .....              | 30 |
| 72415 | Princess Radiance II ..... | 30 |
| 72485 | Comet Tiffany.....         | 29 |
| 72501 | Industrial.....            | 41 |
| 72505 | Celestia II.....           | 15 |
| 72528 | Trigona.....               | 14 |
| 72530 | Celestia.....              | 15 |
| 72546 | Havanna .....              | 14 |
| 72557 | Bendan.....                | 16 |
| 72559 | Arius .....                | 19 |
| 72564 | Bendan.....                | 16 |
| 72598 | Cumulus .....              | 18 |
| 72599 | Lenerco .....              | 10 |
| 78017 | Comet .....                | 27 |
| 78065 | Kingston.....              | 25 |
| 78155 | Wave Form.....             | 19 |
| 78158 | Turbo Swirl .....          | 36 |
| 78171 | Monarch Trio.....          | 29 |
| 78174 | Airplane.....              | 21 |
| 78182 | Comet .....                | 27 |
| 78199 | Princess Trio.....         | 32 |
| 78263 | Industrial .....           | 40 |
| 78321 | Portland Ambiance .....    | 35 |
| 78324 | Princess Trio.....         | 32 |
| 78337 | Industrial.....            | 39 |
| 78370 | Cyclone.....               | 25 |
| 78425 | Pearl.....                 | 26 |
| 78525 | Audubon .....              | 20 |
| 78545 | Hercules .....             | 22 |
| 78622 | Princess Euro.....         | 26 |
| 78623 | Industrial .....           | 41 |
| 78655 | Airplane II.....           | 21 |
| 78673 | Turbo II.....              | 37 |
| 78753 | Helix Fusion .....         | 22 |
| 78763 | Wengue.....                | 23 |
| 78764 | Alloy.....                 | 23 |
| 78784 | Hayden.....                | 36 |
| 78788 | Flora Royal.....           | 20 |
| 78997 | Sydney .....               | 17 |
| 78998 | Sydney .....               | 17 |

## Ceiling Fan Accessories

### Extension Downrods

|       |                                     |    |
|-------|-------------------------------------|----|
| 65643 | Silver; 30,5 cm/12" .....           | 42 |
| 65644 | Silver; 46 cm/18" .....             | 42 |
| 65646 | Satin chrome; 30,5 cm/12" .....     | 42 |
| 65647 | Satin chrome; 46 cm/18" .....       | 42 |
| 65649 | Brushed nickel; 30,5 cm/12" .....   | 42 |
| 65650 | Brushed nickel; 46 cm/18" .....     | 42 |
| 65763 | Dark pewter; 30,5 cm/12" .....      | 42 |
| 65764 | Dark pewter; 46 cm/18" .....        | 42 |
| 78864 | Antique brass; 30,5 cm/12" .....    | 42 |
| 78865 | Antique brass; 46 cm/18" .....      | 42 |
| 78867 | Brushed aluminum; 30,5 cm/12" ..... | 42 |
| 78868 | Brushed aluminum; 46 cm/18" .....   | 42 |
| 78870 | Titanium; 30,5 cm/12" .....         | 42 |
| 78871 | Titanium; 46 cm/18" .....           | 42 |
| 78876 | White; 30,5 cm/12" .....            | 42 |
| 78877 | White; 46 cm/18" .....              | 42 |
| 78882 | Polished brass; 30,5 cm/12" .....   | 42 |
| 78883 | Polished brass; 46 cm/18" .....     | 42 |
| 78885 | Chrome; 30,5 cm/12" .....           | 42 |
| 78886 | Chrome; 46 cm/18" .....             | 42 |
| 78888 | Satin brass; 30,5 cm/12" .....      | 42 |
| 78889 | Satin brass; 46 cm/18" .....        | 42 |

### Remote and Wall Controls

|       |                                         |    |
|-------|-----------------------------------------|----|
| 72266 | Radiofrequency-Remote Control .....     | 43 |
| 78095 | Infrared-Remote Control.....            | 43 |
| 78792 | Infrared-Remote Control.....            | 43 |
| 78800 | Wall Control .....                      | 43 |
| 78801 | Wall Control (incl. light switch) ..... | 43 |

KLIMASKLEP  
ul. Legionów Dąbrowskiego 4  
70-337, Szczecin

tel.: (091) 432-43-42  
fax.: (091) 432-43-40

e-mail: [sklep@klimasklep.pl](mailto:sklep@klimasklep.pl)  
www: [www.KlimaSklep.pl](http://www.KlimaSklep.pl)



Westinghouse

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee  
Krefelder Strasse 562, D-41066 Mönchengladbach, Germany  
Tel.: (0049)-(0)-2161-57307-0

International Headquarters  
12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029  
Tel. - (215) 671-2000, Fax. - (215) 671-2057  
[www.westinghouselighting.com](http://www.westinghouselighting.com)

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee  
® Westinghouse and "You can be sure...if it's Westinghouse" are all registered trademarks of Westinghouse Electric Corporation

©2013 WESTINGHOUSE LIGHTING CORPORATION / 0213  
[www.westinghouselighting.eu](http://www.westinghouselighting.eu)

