

MHS 165 E

NATURAL STONE HEATERS

PRODUCT-NO.: 233659

A natural stone heater is ideal as a stylish supplementary heater or for providing heat during spring/autumn, in bathrooms and living spaces. Natural stone makes every heater unique. Several designs ensure an exceptional appearance and a homely feel. The cosy radiated warmth provides greater comfort thanks to low air circulation in the room. Furthermore, natural stone heaters can be installed horizontally or vertically, depending on taste and the installation situation.



The main features

SAHARA natural stone heater

Marbled limestone

1,650 W heating output

Ideal as a supplementary heating system or for spring and autumn

Pleasant radiated heat


Portrait or landscape installation is possible



Type	MHS 115 E	MHS 145 E	MHS 165 E	MHS 35 E
Part no.	233657	233658	233659	233654
Connected load	1,150 kW	1,450 kW	1,650 kW	0,350 kW
Depth	70 mm	70 mm	70 mm	70 mm
Width	1000 mm	1250 mm	1350 mm	600 mm
Height	600 mm	600 mm	600 mm	400 mm

Technical data

Design	Sahara	Sahara	Sahara	Sahara
Natural stone	Marbled limestone	Marbled limestone	Marbled limestone	Marbled limestone
Power supply	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V
Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Rated current	5 A	6,3 A	7,2 A	1,5 A
Weight	52 kg	62 kg	70 kg	21 kg
IP-Rating	IP66	IP66	IP66	IP66
Protection class	II	II	II	II



Type	MHS 65 E	MHS 85 E
Part no.	233655	233656
Connected load	0,650 kW	0,850 kW
Depth	70 mm	70 mm
Width	1000 mm	1000 mm
Height	400 mm	500 mm

Technical data

Design	Sahara	Sahara
Natural stone	Marbled limestone	Marbled limestone
Power supply	1/N ~ 230 V	1/N ~ 230 V
Frequency	50/60 Hz	50/60 Hz
Rated current	2,8 A	3,7 A
Weight	35 kg	44 kg
IP-Rating	IP66	IP66
Protection class	II	II

As of 01/01/2018, the EU conformity of these appliances is additionally dependent on compliance with ecodesign requirements. These appliances may only be installed and commissioned in conjunction with external room temperature controllers that have the following functions: electronic room temperature control, day of week control and adaptive control of the start of heating. These requirements are met by STIEBEL ELTRON RTU-TC, RTU-S UP Stiebel® and SRC C digital room temperature controllers. Failure to observe these requirements will result in the loss of the CE marking.

KLIMASKLEP

ul. Orzechowa 3

72-010 Przęsocin (koło Szczecina)

tel.: **(91) 432-43-42**

e-mail: **kontakt@klimasklep.pl**

www: **www.KlimaSklep.pl**